(c) how much amount is involved in these cases?

THE MINISTER OF STATE IN THE MINISTRY OF FINANCE (SHRI M. V. CHANDRASHEKARA MURTHY) :

(a) and (c) The number of cases relating to Central Excise pending in the Supreme Court/High Courts/Tribunal and the amounts involved therein are as under:—

(Rs. in crores)

	No. of cases	Amt.involved
Supreme Court (as on 30.4.95)	2724	695.16
» High Courts (as on 30.4.95)	44291	287.65
Tribunal , (CEGAT) (as on 1.7.95)	35,850	Informationis beingcollected.

(b) The oldest cases pending in the Supreme Court, High Courts and the Tribunal pertain to the years 1971, 1969 and 1976 respectively. Completion of the legal process is time consuming. However, all possible efforts are made in consultation with Ministry of Law to get these cases finalised.

Price rise of PFY and NFY

228. SHRI CHIMANBHAI HARIBHAI SHUKLA: Will the Minister of TEXTILES be pleased to state: ' (a) whether Government's attention has been drawn to the news item appearing in the Bombay edition of Economic Times dated 10th May, 1995 regarding the row over the price rise of PFY and NFY;

(b) if so, whether this row over prices of PFY/NFY has any basis, if so, what are the details thereof;

(c) whether it is a fact that producers of DMT, PFY, PSF NFY, texturiscrs and the weavers are all suffering from the severe increase in their cost of production; and

(d) if so, what steps Government propose to take to save all these producers from this situation?

THE MINISTER OF TEXTILES (SHRI G. VENKAT SWAMY): (a) Yes, Sir.

(b) to (d) There have been representations about increase in prices of synthetic fibres^ams on account of increase in raw-materials prices. It may be stated that the prices of these fibres' yams are not only dependent on raw-material prices but also on other factors such as cost of conversion, duty structure, demand and supply, etc. In the context of increase in prices of these items, Government have asked the Bureau of Industrial Costs and Prices to undertake a study of the present structure of the industry which would "cover factors relating to cost and prices.

Clearance to cogentrix Power Porject

229. SHRI K. RAHMAN KHAN: will the Minister of POWER be pleased to state:

(a) whether the Government of Kamataka has informed that if the

Cogentrix Power Project in that State is not cleared before 31st July, 1995; it will have to seek other alternative; and

(b) by when the project is likely to be dearea?

THE MINISTER OF STATE IN THE MINISTRY OF POWER (SHRIMATI URMILABEN CHIMANBHAI PATEL): (a) No, Sir.

(b) The Detailed Project Report (DPR) submitted to Central Electricity Authority (CEA) has been examined and found to be lacking on certain aspects. Also, same clearances/inputs are still to be obtained by the promoters. The project can be considered by CFA for Techno-economic clearance only after the necessary clearances/inputs are obtained and revised DPR is submitted.

उत्तर प्रदेश में कार्य कर रहे दूरदर्शन ट्रांसमीटर और ट्रांसपोंडर

230. **श्री संघप्रिय गौतम** : क्या सूचना और प्रसारण मंत्री यह बताने की कृपा करेंगे कि:

(क)30 जून, 1995 की स्थिति के अनुसार उत्तर प्रदेश में अन्य राज्यों की तुलना में काय कर रहे दूरदर्शन के ट्रांसमीटरों और ट्रासपोंडरों की जिलेवार संख्या का ब्यौरा क्या हैं;

(ख)क्या पूरे उत्तर प्रदेश में दूरदर्शन नेटवर्क के कार्यक्रम देखे जा रहे हैं;

(ग)यदि नही, तो इसके क्या कारण हैं; और

(घ)इस संबंध में क्या कदम उठाये गये हैं और या उठाये जाने का विचार हैं?

सूचना और प्रसारण मंत्रालय के राजय मंत्री (श्री के0 पी0 सिंह देव) : (क) उत्तर प्रदेश में दूरदर्शन ट्रांसमीटरों और ट्रांपोंडरों को जिलेवार संख्या तथा अन्य राज्यों (और संघ शासित क्षेत्रों) मेंटी0वी0 ट्रांसमीटरों को राज्यवार संख्या संलगन (नीचे देखिए) विरण तथा अनुपत्र मे दी गई हैं

(परिशिष्ट सं0 अनुपत्र सं0 11)

(ख)हालांकि दूरदर्शन के कार्यक्रमों को एक उपयुक्त डिश ऐन्टिना पद्धति की सहायता से इनसैट-2 बी के जरिए संपूर्ण राज्य मे देखा जा सकता है तथापि, राज्य के अनुमानित 92.4% जनसंख्या और 79.1% क्षेत्र को दूदर्शन को स्थलीय कवरेज उपलब्ध हैं।

(ग)प्रश्न नहीं उठता।

(घ)उत्तर प्रदेश राज्य सहित देश में स्थलीय टी0वी0 सेवा का इस प्रयोजनार्थ संसाधनों की उपलब्धता औरआधारभूत सुविधाओं पर निर्भर करते हुए चरणबद्ध तरीके से विस्तार किया जा रहा हैं। उत्तर प्रदेश में वर्तमान में कार्यान्वयनाधीन / स्थापित किए जाने हेतु परिकल्पित भिन्न-भिन्न शक्तियों के 62 ट्रांसमीटरो के चालू हो जाने से स्थलीय टी0वी0 सेवा के राज्य की 95% जनसंख्या और 84-2% क्षेत्र तक बढ़ जाने की आशा हैं।

विवरण

30.6.1995 **को स्थिति के अनुसार उत्तर प्रदेश में टी0वी0 ट्रांसमीटरों (जिलेवार)**

क्र. स0	जिला	ट्रांसमीटरों की संख्या
1.	2	3
1.	आगरा	1
2.	अलीगढ़	1
3.	इलाहाबाद	1
4.	अल्मोड़ा	3
5.	आजमगढ़	1
6.	बदायू	-
7.	बहराइच	1
8.	बलिया	3
9.	बांदा	1
10.	बाराबंकी	-
11.	बरेली	1
12.	बस्ती	1
13.	बिजनौर	-
14.	बुलन्दरशहर	-
15.	चमोली	1
16.	देहरादून	2
17.	देवरिया	1